


23-7L 2° to 8°C

Refrigerated (2-8°C)

Refrigerated Test Results - Summer



Test Results - (95.75 hours)

When the shipper is exposed to temperatures greater than 15°C (59°F), at the point of origin, then it is recommended that you use the summer pack-out.

PRODUCT INFORMATION SHEET

PART NUMBER

20622

BILL OF MATERIALS

QTY Part Description

- **Corrugated Shipping Carton** 1
- 1 **Corrugated Product Carton**
- 1 EPS Cooler Set (Body and Lid)
- 6 1350g Gel Cassette
- 1 Polyurethane Foam Pad

SYSTEMS SPECIFICATIONS

Outside Dimensions - Shipping Carton

- (mm) 480 x 447 x 373
- 18.9 x 17.6 x 14.7 (in)

Inside Dimensions – Product Space

- (mm) 250 x 214 x 130
- 9.9 x 8.4 x 5.1 (in)

Dead Weight (Includes Refrigerant)

- (kg)11
- (lb)24.5

CONDITIONING INSTRUCTIONS

Frozen Gel Cassettes (shown in blue)

- Place the Gel Cassettes into a freezer set at -20°C. 1.
- NOTE: It is not necessary to separate the gel from their sleeves.
- 2. Let Gel Cassettes remain in the freezer for 72 hours before using. NOTE: The Gel Cassettes were conditioned for 72 hours during the validation testing to produce the pre-gualified results. Any deviation of this could result in a different thermal performance. Depending on the number of gel Cassettes and freezer capabilities, additional conditioning time may be required.
- 3. Let the Gel Cassettes remain at room temperature for 30 minutes before using.

Chilled Gel Cassettes (shown in red)

- Place the Gel Cassettes into a refrigerator set at +5°C. 1. NOTE: It is not necessary to separate the gel from their sleeves.
- 2. Let Gel Cassettes remain in the refrigerator for 72 hours before using.

NOTE: The Gel Cassettes were conditioned for 72 hours during the validation testing to produce the pre-gualified results. Any deviation of this could result in a different thermal performance. Depending on the number of gel Cassettes and refrigerator capabilities, additional conditioning time may be required.

PACKING INSTRUCTIONS

- Remove the Lid and Gel Cassettes from the Cooler. 1.
- Condition Gel Cassettes, per the Conditioning 2.
- Instructions.
- 3 Remove the Product Carton.
- Fill and seal the product inside the Product Carton. 4.
- Place 1 Refrigerated 1350g Gel Cassette into the Cooler. 5.
- Place the filled Product Carton on top of the Gel Cassette. 6.
- Add 1 Frozen 1350g Gel Cassette on sides of the 7. Product Carton.
- Add 1 Refrigerated 1350g Gel Cassette on ends of the 8. Product Carton.
- Place the Polyurethane Foam Pad on top of the 9. Product Carton.
- Add 1 Frozen 1350g Gel Cassette on top of the 10. Polyurethane Foam Pad.
- 11. Place the Lid back on the Cooler.
- 12. Close and seal the Outer Carton for shipment.



Inmark Headquarters - USA Inmark Europe BV - Netherlands
Inmark SG Pte. Ltd. - Singapore +1(770) 373-3300 +31 (0)162 748 100 +65 6861 7108




Sales@InmarkPackaging.com InmarkPackaging.com



23-7L 2° to 8°C

Refrigerated (2-8°C)

Refrigerated Test Results - Winter



Test Results - (115 hours)

When the shipper is exposed to temperatures less than 15°C (59°F), at the point of origin, then it is recommended that you use the winter pack-out.

PACKING INSTRUCTIONS

- 1. Remove the Lid and Gel Cassettes from the Cooler.
- 2. Condition Gel Cassettes, per the Conditioning Instructions.
- 3. Remove the Product Carton.
- 4. Fill and seal the product inside the Product Carton.
- Place 1 Refrigerated 1350g Gel Cassette into the Cooler.
 Place the filled Product Carton on top of the Gel Cassette.
- Add 1 Refrigerated 1350g Gel Cassette on sides and ends
- of the Product Carton. 8. Place the Polyurethane Foam Pad on top of the Product Carton.
- Add 1 Frozen 1350g Gel Cassette on top of the Polyurethane Foam Pad.
- 10. Place the Lid back on the Cooler.
- 11. Close and seal the Outer Carton for shipment.

PRODUCT INFORMATION SHEET

PART NUMBER

20622

BILL OF MATERIALS

QTY Part Description

- 1 Corrugated Shipping Carton
- 1 Corrugated Product Carton
- 1 EPS Cooler Set (Body and Lid)
- 6 1350g Gel Cassette
- 1 Polyurethane Foam Pad

SYSTEMS SPECIFICATIONS

Outside Dimensions - Shipping Carton

- (mm) 480 x 447 x 373
- (in) 18.9 x 17.6 x 14.7

IInside Dimensions – Product Space

- (mm) 250 x 214 x 130
- (in) 9.9 x 8.4 x 5.1

Dead Weight (Includes Refrigerant)

- (kg) 11
- (lb) 24.5

CONDITIONING INSTRUCTIONS

Frozen Gel Cassettes (shown in blue)

- Place the Gel Cassettes into a freezer set at -20°C. NOTE: It is not necessary to separate the gel from their sleeves.
- Let Gel Cassettes remain in the freezer for 72 hours before using. NOTE: The Gel Cassettes were conditioned for 72 hours during the validation testing to produce the pre-qualified results. Any deviation of this could result in a different thermal performance. Depending on the number of gel Cassettes and freezer capabilities, additional conditioning time may be required.
- 3. Let the Gel Cassettes remain at room temperature for 30 minutes before using.

Chilled Gel Cassettes (shown in red)

- Place the Gel Cassettes into a refrigerator set at +5°C. NOTE: It is not necessary to separate the gel from their sleeves.
- 2. Let Gel Cassettes remain in the refrigerator for 72 hours before using.

NOTE: The Gel Cassettes were conditioned for 72 hours during the validation testing to produce the pre-qualified results. Any deviation of this could result in a different thermal performance. Depending on the number of gel Cassettes and refrigerator capabilities, additional conditioning time may be required.



Inmark Headquarters - USA Inmark Europe BV - Netherlands Inmark SG Pte. Ltd. - Singapore +1(770) 373-3300 +31 (0)162 748 100 +65 6861 7108



Sales@InmarkPackaging.com InmarkPackaging.com